Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities of the United States.

CALIFORNIA—*San Diego.*—Month of April, 1899. Census population, 16,159. Total number of deaths, 13, including 2 from phthisis pulmonalis.

CONNECTICUT.—Reports from the State board of health for the month of April, 1899, from 166 towns having an aggregate population of 889,245, show a total of 1,169 deaths, including diphtheria, 14; enteric fever, 8; la grippe, 10; measles, 4; cerebro-spinal meningitis, 20; scarlet fever, 2; whooping cough, 7, and 133 from phthisis pulmonalis.

ILLINOIS—*Chicago.*—Month of April, 1899. Estimated population, 1,650,000. Total number of deaths, 2,386, including diphtheria, 56; enteric fever, 23; influenza, 24; measles, 20; scarlet fever, 71; whooping cough, 6, and 228 from phthisis pulmonalis.

During the week ended May 13, 1899, 4 certificates of death were returned to the office of the commissioner of health giving influenza as the chief cause, 9 giving diphtheria as the cause, 49 cases being reported, also 17 giving scarlet fever as the cause, 106 cases being reported.

LOUISIANA—*New Orleans.*—Month of April, 1899. Estimated population, 300,000—white, 210,000; colored, 90,000. Total number of deaths, 640—white, 393; colored, 247—including diphtheria, 1; enteric fever, 3; influenza, 6; whooping cough, 3; smallpox, 3, and 63 from phthisis pulmonalis.

MASSACHUSETTS—*Fitchburg.*—Month of April, 1899. Estimated population, 29,438. Total number of deaths, 37, including measles, 7; scarlet fever, 1, and 1 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended May 13, 1899, from 82 observers, indicate that pneumonia, scarlet fever, and phthisis pulmonalis increased and cerebro-spinal meningitis decreased in area of prevalence. Phthisis pulmonalis was reported present at 160, measles at 86, scarlet fever at 43, diphtheria at 16, enteric fever at 16, and whooping cough at 15 places.

Port Huron.—Month of April, 1899. Estimated population, 20,000. Total number of deaths, 34, including enteric fever, 1, and 1 from phthisis pulmonalis.

MINNESOTA—*Duluth.*—Month of April, 1899. Estimated population, 60,000. Total number of deaths, 46, including enteric fever, 3, and 2 from phthisis pulmonalis.

Minneapolis.—Month of April, 1899. Estimated population, 225,602. Total number of deaths, 218, including diphtheria, 3; enteric fever, 3; scarlet fever, 1; whooping cough, 1, and 30 from phthisis pulmonalis.

St. Paul.—Month of April, 1899. Estimated population, 200,000. Total number of deaths, 135, including diphtheria, 4; enteric fever, 1; whooping cough, 1; la grippe, 1, and 23 from phthisis pulmonalis.

NEW HAMPSHIRE—*Manchester.*—Month of April, 1899. Estimated

population, 60,000. Total number of deaths, 82, including diphtheria, 2; la grippe. 2, and 5 from phthisis pulmonalis.

NEW JERSEY—*Hudson County.*—Month of April, 1899. Estimated population, 384,784. Total number of deaths, 546, including diphtheria, 12; enteric fever, 4; scarlet fever, 8; whooping cough, 2; la grippe, 3, and 73 from phthisis pulmonalis.

Paterson.—Month of April, 1899, Estimated population, 115,540. Total number of deaths, 208, including diphtheria, 5; enteric fever, 4; measles, 7; whooping cough, 1, and 16 from phthisis pulmonalis.

NEW YORK—*Buffalo.*—Month of April, 1899. Estimated population, 370,000. Total number of deaths, 400, including diphtheria, 5; enteric fever, 3; measles, 1; scarlet fever, 7; whooping cough 4, and 42 from phthisis pulmonalis.

OHIO—*Cleveland.*—Month of April, 1899. Estimated population, 395,000. Total number of deaths, 502, including diphtheria, 5; enteric fever, 10; measles, 1; scarlet fever, 4; smallpox, 1; whooping cough, 2, and 18 from phthisis pulmonalis.

UTAH—*Salt Lake City.*—Month of April, 1899. Estimated population, 70,000. Total number of deaths, 45, including la grippe, 1; whooping cough, 1, and 2 from phthisis pulmonalis.

WASHINGTON—*Tacoma.*—Month of April, 1899. Estimated population, 50,000. Total number of deaths, 29, including diphtheria, 1; enteric fever, 1, and 5 from phthisis pulmonalis.